



INSTRUCTIONS FOR USE
PRODUCT SPECIFIC INFORMATION
ONLY ON THIS PAGE

EN

INSTRUCTIONS FOR USE - CATEGORY II

SEE FRONT PAGE FOR PRODUCT SPECIFIC INFORMATION

DECLARATION OF CONFORMITY

TEGERA® 8804R

Synthetic glove, nitrile, nitrile foam, waterbased PU, fully dipped, double-dipped, foam grip pattern, 18 gg, nylon, spandex, Cat. II, black, yellow, withstands contact heat up to 100°C, approved for handling foodstuffs, oil and grease resistant, for precision work

EN ISO 21420:2020  EN 388:2016+A1:2018 4121A

EN 407:2020 No Flame Protection X1XXXX 



STANDARD 100
SE 14-214
RISE
www.oeko-tex.com



dermatost-guerite.de
FarmaTest

Contact heat rating valid for palm area only

OUTER MATERIAL SPECIFICATION Nitrile
INNER MATERIAL SPECIFICATION Nylon, elastane

EU-TYPE EXAMINATION 2777 Satra Technology Europe Ltd Braacetown Business Park, Clonee, Dublin 15, Dublin, Ireland

UK
CA

6 PAIRS

Made in China



ONLY FOR EURASIAN ECONOMIC COMMUNITY CUSTOMS UNION MEMBERS
ПРОДУКЦИЯ СООТВЕТСТВУЕТ ТРЕБОВАНИЯМ ТР ТС 019/2011
«О БЕЗОПАСНОСТИ РЕАКТИВ И ИНДИВИДУАЛЬНОЙ ЗАЩИТЫ»

UK-IMPORTER

Ejendals Ltd, Sweden House, 5 upper Montagu Street, London, England, W1 2AG



EJENDALS AB
Ljvnägen 28, SE-799 32 Leksand, Sweden
info@ejendals.com | order@ejendals.com | www.ejendals.com
Declaration of Conformity





INSTRUCTIONS FOR USE - CATEGORY II

SEE FRONT PAGE FOR PRODUCT SPECIFIC INFORMATION

DECLARATION OF CONFORMITY

EN

INSTRUCTIONS FOR USE - CATEGORY II

SEE FRONT PAGE FOR PRODUCT SPECIFIC INFORMATION

DECLARATION OF CONFORMITY

Carefully read these instructions before using this product.
EXPLANATION OF PICTOGRAMS = Below the minimum performance level for the given individual hazard X= Not submitted to the test or test method not suitable for the glove design or material
Warning! This product is designed to provide protection specified in PPE Regulation (EU) 2016/425 and PPE Regulation 2016/425 as amended and brought into UK law with the detailed levels of performance presented below. However, always remember that no item of PPE can provide full protection and caution must always be taken when exposed to risks



EN 407:2020

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A: Limited flame spread
B: Contact heat
C: Convective heat
D: Radiant heat
E: Small splashes of molten metal
F: Large quantities of molten metal



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire. For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A: Limited flame spread
B: Contact heat
C: Convective heat
D: Radiant heat
E: Small splashes of molten metal
F: Large quantities of molten metal



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A: Limited flame spread
B: Contact heat
C: Convective heat
D: Radiant heat
E: Small splashes of molten metal
F: Large quantities of molten metal



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A: Limited flame spread
B: Contact heat
C: Convective heat
D: Radiant heat
E: Small splashes of molten metal
F: Large quantities of molten metal



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A: Limited flame spread
B: Contact heat
C: Convective heat
D: Radiant heat
E: Small splashes of molten metal
F: Large quantities of molten metal



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A: Limited flame spread
B: Contact heat
C: Convective heat
D: Radiant heat
E: Small splashes of molten metal
F: Large quantities of molten metal



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A: Limited flame spread
B: Contact heat
C: Convective heat
D: Radiant heat
E: Small splashes of molten metal
F: Large quantities of molten metal



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A: Limited flame spread
B: Contact heat
C: Convective heat
D: Radiant heat
E: Small splashes of molten metal
F: Large quantities of molten metal



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A: Limited flame spread
B: Contact heat
C: Convective heat
D: Radiant heat
E: Small splashes of molten metal
F: Large quantities of molten metal



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A: Limited flame spread
B: Contact heat
C: Convective heat
D: Radiant heat
E: Small splashes of molten metal
F: Large quantities of molten metal



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A: Limited flame spread
B: Contact heat
C: Convective heat
D: Radiant heat
E: Small splashes of molten metal
F: Large quantities of molten metal



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A: Limited flame spread
B: Contact heat
C: Convective heat
D: Radiant heat
E: Small splashes of molten metal
F: Large quantities of molten metal



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A: Limited flame spread
B: Contact heat
C: Convective heat
D: Radiant heat
E: Small splashes of molten metal
F: Large quantities of molten metal



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A: Limited flame spread
B: Contact heat
C: Convective heat
D: Radiant heat
E: Small splashes of molten metal
F: Large quantities of molten metal



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A: Limited flame spread
B: Contact heat
C: Convective heat
D: Radiant heat
E: Small splashes of molten metal
F: Large quantities of molten metal



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A: Limited flame spread
B: Contact heat
C: Convective heat
D: Radiant heat
E: Small splashes of molten metal
F: Large quantities of molten metal



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.



EN 407:2020

PROTECTIVE GLOVES AGAINST THERMAL RISKS (HEAT AND/OR FIRE)

A: Limited flame spread
B: Contact heat
C: Convective heat
D: Radiant heat
E: Small splashes of molten metal
F: Large quantities of molten metal



EN 388:2016

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from four types of glove tests. Warning! For gloves with the performance level 1, or X, in limited flammability in the event of a fire, the gloves have a performance level 1, or X, in limited flammability in the event of a fire.

