Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Malmbergs

Supplier's address: Anders Folke, Vastra Bangatan 54

Model identifier: 9974112

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type	NOT APPLICABLE		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No

Product parameters

		i i oudet parai		1		
Parameter		Value	Parameter	Value		
General product parameters:						
0,	nption in on- 00 h), rounded st integer	3	Energy efficiency class	E		
dicating if it refe a sphere (360º)	s flux (φuse), in- ers to the flux in , in a wide cone nrrow cone (90º)	300 in Wide cone (120°)	Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set	3 000		
On-mode pow pressed in W	ver (P _{on}), ex-	3,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	-		
(P _{net}) for CLS, e	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80		
Outer dimen-	Height	300	Spectral power dis-	See image		
sions without	Width	33	tribution in the	in last page		
separate con- trol gear, light- ing control	Depth	8	range 250 nm to 800 nm, at full-load			

parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-		
		Chromaticity coordi-	0,440		
		nates (x and y)	0,403		
Parameters for directional light sources:					
Peak luminous intensity (cd)	118	Beam angle in de- grees, or the range of beam angles that can be set	120		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	1	Survival factor	0,90		
the lumen maintenance factor	0,98				
(a),	1	<u> </u>			

(a)'-' : not applicable;

(b)'-' : not applicable;

